UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. | |
|--------------------------------|---|----------------------|---------------------|------------------|--|
| 10/510,685 | 02/16/2005 | Etienne Dunas | Q83961 | 4008 | |
| | 72875 7590 11/16/2009 SUGHRUE MION, PLLC | | | EXAMINER | |
| 2100 Pennsylvania Avenue, N.W. | | | HO, HUY C | | |
| Washington, DC 20037 | | | ART UNIT | PAPER NUMBER | |
| | | | 2617 | | |
| | | | | | |
| | | | NOTIFICATION DATE | DELIVERY MODE | |
| | | | 11/16/2009 | ELECTRONIC | |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

USPTO@sughrue.com kghyndman@sughrue.com USPatDocketing@sughrue.com

| | Application No. | Applicant(s) |
|--|---|---|
| | 10/510,685 | DUNAS ET AL. |
| Office Action Summary | Examiner | Art Unit |
| | HUY C. HO | 2617 |
| The MAILING DATE of this communication ap Period for Reply | ppears on the cover sheet with the o | correspondence address |
| A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING DESTRICTION OF THE MAILING | DATE OF THIS COMMUNICATION .136(a). In no event, however, may a reply be tired will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONE | N. nely filed the mailing date of this communication. ED (35 U.S.C. § 133). |
| Status | | |
| Responsive to communication(s) filed on <u>02/0</u> This action is FINAL . 2b) ☑ This 3) ☐ Since this application is in condition for allowed closed in accordance with the practice under | is action is non-final. ance except for formal matters, pro | |
| Disposition of Claims | | |
| 4) Claim(s) 1-25 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) Claim(s) is/are allowed. 6) Claim(s) 1-25 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/o Application Papers 9) The specification is objected to by the Examin 10) The drawing(s) filed on 30 June 2008 is/are: a | awn from consideration. or election requirement. ner. a)⊠ accepted or b)□ objected to | • |
| Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E | ction is required if the drawing(s) is ob | jected to. See 37 CFR 1.121(d). |
| Priority under 35 U.S.C. § 119 | | , realest of restation 102 |
| 12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of: 1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a lis | nts have been received. nts have been received in Applicat ority documents have been receive au (PCT Rule 17.2(a)). | ion No ed in this National Stage |
| Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date | 4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other: | ate |

Application/Control Number: 10/510,685 Page 2

Art Unit: 2617

DETAILED ACTION

1. In view of the Pre-Brief Conference request filed on 02/02/2009, PROSECUTION IS HEREBY REOPENED. New ground of rejection is set forth below.

To avoid abandonment of the application, appellant must exercise one of the following two options:

- (1) file a reply under 37 CFR 1.111 (if this Office action is non-final) or a reply under 37 CFR1.113 (if this Office action is final); or,
- (2) initiate a new appeal by filing a notice of appeal under 37 CFR 41.31 followed by an appeal brief under 37 CFR 41.37. The previously paid notice of appeal fee and appeal brief fee can be applied to the new appeal. If, however, the appeal fees set forth in 37 CFR 41.20 have been increased since they were previously paid, then appellant must pay the difference between the increased fees and the amount previously paid.

A Supervisory Patent Examiner (SPE) has approved of reopening prosecution by signing below:

***.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 3. Claims 1-25 are rejected under 35 U.S.C. 102(e) as being anticipated by Lazaris-Brunner et al. (US 6,498,922).

Art Unit: 2617

Consider claim 1, (Previously Presented) Lazaris-Brunner teaches a satellite-based monitoring, measurement or data collection system (*see Lazaris-Brunner*, *the abstract*), comprising:

a monitoring, measurement or data collection system having a plurality of monitoring stations (4) for remote monitoring, measurement or data collection and for providing data, to respective computation centers (3) (see Lazaris-Brunner, figure 2, col 7 lines 1-55, regional programming resources 20 collect and transmit data to the satellite 10 which provides programs to receivers 16 based on the receivers' interest/requests); and

a satellite system using at least one satellite (2) having an on-board processor for multiplexing up-link data received and broadcasting said multiplexed data in a down-link transmission (see Lazaris-Brunner, col 3 lines 25-55, col 6 lines 33-67, col 7 lines 1-55), wherein:

said up-link data received by said satellite (2) comprises a digital channel corresponding to a respective one of said computation centers (3) (see Lazaris-Brunner, the abstract, col 7 lines 1-55);

said respective computation center (3) is connected to a down-link adapter (7) connected to a receiver or group of receivers (6) (see Lazaris-Brunner, the abstract, col 7 lines 1-55, each respective receiver 16 is able to receive programs at its interest or its request); and

said down-link adapted for extracting, from said down-link transmission, said digital channel corresponding only to the said respective computation center (3) (see Lazaris-Brunner, the abstract, col 7 lines 1-55, each respective receiver 16 is able to receive programs at its interest or its request).

Consider claim 14, (Previously Presented) Lazaris-Brunner teaches a method for interconnecting elements of a monitoring, measurement or data collection using a satellite system (see Lazaris-Brunner, the abstract), comprising:

remote monitoring, measurement or data collection by means of a plurality of monitoring stations (4) and providing data to respective computation centers (3) (see Lazaris-Brunner, figure 2, col 7 lines 1-55, regional programming resources 20 collect and transmit data to the satellite 10 which provides programs to receivers 16 based on the receivers' interest/requests); and

at least one satellite (2) of said system multiplexing up-link data by means of an on-board

Application/Control Number: 10/510,685

Art Unit: 2617

processor and broadcasting said multiplexed data in down-link transmission (see Lazaris-Brunner, col 6 lines 33-67, col 7 lines 1-55);

transmitting a digital channel in said up-link data to said satellite (2), said channel corresponding to a respective computation center (3), said computation center (3) being connected to a down-link (7) connected to a satellite receiver or a group of satellite receivers (6) (see Lazaris-Brunner, figure 2, col 7 lines 1-55, regional programming resources 20 collect and transmit data to the satellite 10 which provides programs to receivers 16 based on the receivers' interest/requests); and

extracting from said down-link transmission, by said down-link, only said digital channel corresponding to the respective computation center (3) (see Lazaris-Brunner, figure 2, col 7 lines 1-55, regional programming resources 20 collect and transmit data to the satellite 10 which provides programs to receivers 16 based on the receivers' interest/requests).

Consider claim 2, (Original) A system according to claim 1, Lazaris-Brunner teaches wherein each of said monitoring stations (4) is connected through an up-link adapter (5) to the satellite up-link broadcasting station (1) (see Lazaris-Brunner, figure 2, col 7 lines 1-55, regional programming resources 20 collect and transmit data to the direct broadcasting satellite 10).

Consider claim 3, (Previously Presented) A system according to claim 1, Lazaris-Brunner teaches wherein said satellite system is a digital direct broadcast satellite system (*Lazaris-Brunner*, *col 3 lines 30-55*, *col 4 lines 40-67*).

Consider claim 4, (Previously Presented) A system according to claim 1, Lazaris-Brunner teaches wherein at least one of said monitoring stations (4) has at least one channel from the up-link transmission allocated thereto (see Lazaris-Brunner, figure 2, col 7 lines 1-55, regional programming resources 20 collect and transmit data to the direct broadcasting satellite 10).

Consider claim 5, (Original) A system according to claim 4, Lazaris-Brunner teaches wherein several remote channels, or several monitoring stations (4) are grouped together using sub-multiplexing channel capabilities of said digital direct broadcast satellite system (*Lazaris-Brunner*, col 3 lines 30-55, col 4 lines 40-67).

Consider claim 6, (Previously Presented) A system according to claim 1, Lazaris-Brunner

Application/Control Number: 10/510,685

Art Unit: 2617

teaches wherein a monitoring station (4) has a receiver for synchronizing message transmission using data extracted from said down-link channel multiplex content (*Lazaris-Brunner*, col 6 lines 33-67, a hub station communicates with other program sources).

Consider claim 7, (Previously Presented) A system according to claim 1, Lazaris-Brunner discloses wherein time and/or date is broadcast to said down-link adapters (7), and optionally to said digital direct broadcast satellite receivers (6) (Lazaris-Brunner, col 7 lines 1-55, receivers receive program data such as news, sports information, regional program data from sources).

Consider claim 8, (Original) Lazaris-Brunner teaches a down-link adapter for extracting at least one channel from a down-link transmission as claimed in claim 1 (*Lazaris-Brunner*, col 3 lines 10-55, col 7 lines 1-13).

Consider claim 9, (Original) Lazaris-Brunner teaches a down-link adapter according to claim 8 for converting data framing from said satellite down-link data channel rate to message format and/or converting data rate to rate adapted to a cyclic data rate of said monitoring, measurement or data collection system (Lazaris-Brunner, col 3 lines 10-55, col 7 lines 1-13).

Consider claim 10, (Previously Presented) Lazaris-Brunner teaches a down-link adapter according to claim 8 wherein said down-link adapter provides data to another adapter connected to a monitoring station (4) (Lazaris-Brunner, col 3 lines 10-55, col 7 lines 1-13).

Consider claim 11, (Original) Lazaris-Brunner teaches an up-link adapter for converting signals received from a monitoring station (4) of a monitoring, measurement or data collection system, into signals suitable for digital up-link transmission as claimed in claim 2 (*Lazaris-Brunner*, col 3 lines 10-55, col 7 lines 1-13).

Consider claim 12, (Original) Lazaris-Brunner teaches an up-link adapter according to claim 11 for converting data message format from said monitoring station (4) to an up-link format of said satellite system and/or converting data rate to an uplink rate adapted to said satellite system (*Lazaris-Brunner*, col 3 lines 10-55, col 7 lines 1-13).

Consider claim 13, (Previously Presented) Lazaris-Brunner teaches an up-link adapter according to claim 10 wherein said up-link adapter (5) receives data from another adapter such as a

Application/Control Number: 10/510,685

Art Unit: 2617

down-link adapter (7) (Lazaris-Brunner, col 3 lines 10-55, col 7 lines 1-13).

Consider claim 15, (Original) Lazaris-Brunner teaches a method according to claim 14 wherein said up-link broadcasting station (1) performs up-link broadcasting of data received from an up-link adapter (5) connected thereto (see Lazaris-Brunner, figure 2, col 7 lines 1-55, regional programming resources 20 collect and transmit data to the satellite 10 which provides programs to receivers 16 based on the receivers' interest/requests).

Consider claim 16, (Currently amended) Lazaris-Brunner teaches a method according to claim 14 wherein said satellite system is a digital direct broadcast satellite system (*Lazaris-Brunner*, col 3 lines 30-55, col 4 lines 40-67).

Consider claim 17, (Original) Lazaris-Brunner teaches a method according to claim 14 wherein said broadcasting of the multiplexed data in down-link transmission is performed in time division multiplexing, TDM mode (*Lazaris-Brunner*, col 3 lines 10-16).

Consider claim 18, (Original) Lazaris-Brunner teaches a method according to claim 14 wherein marker indexing is used in said down-link transmission as a synchronization signal (*Lazaris-Brunner*, *col 8 lines 25-27*).

Consider claim 19, (Original) Lazaris-Brunner discloses a method according to claim 18 wherein said synchronization is also used for sub-multiplexing up-link channels transmission (col 2 lines 10-47).

Consider claim 20, (Original) Lazaris-Brunner discloses a method for interconnecting adapters (5; 7) as in claim 13, wherein data is returned from a down-link adapter (7) to an up-link adapter (5) transferring time information and/or data information between said adapters (5; 7) (Lazaris-Brunner, col 7 lines 1-55, receivers receive program data such as news, sports information, regional program data from sources).

Consider claim 21, (Previously Presented) Lazaris-Brunner discloses a method for use in the adapter of claim 12 wherein a data message is delayed before being put into a next frame generated at a digital direct broadcast satellite channel rate, using a frame produced faster than needed by the rate of monitoring, measurement or data collection, thus giving rise to a so-called marker frame carrying data such as timing data (*Lazaris-Brunner*, col 5 lines 55-67, col 6 lines 1-33, data information is

Art Unit: 2617

transmitted via different channels, being multiplexed in to bit streams with different data rates received at the digital broadcast satellite, being amplified and transmitted to downlinks).

Page 7

Consider claim 22, (Previously Presented) Lazaris-Brunner discloses a method for use in the adapter of claim 8 wherein data related to time and/or date is/are broadcast through a digital direct broadcast satellite system and wherein a frame received at a digital direct broadcast satellite channel rate, is converted into a message at a monitoring, measurement and data collection rate with the exception of a marker frame carrying data such as timing data (*Lazaris-Brunner*, col 7 lines 1-55, receivers receive program data such as news, sports information, regional program data from sources).

Consider claim 23, (Original) Lazaris-Brunner discloses A method according to claim 22 wherein said timing data is used for evaluating transit time or for providing time to any other unit connected thereto such as a display (*Lazaris-Brunner*, col 7 lines 1-67).

Consider claim 24, (Original) Lazaris-Brunner discloses A method according to claim 23 wherein a transit time of a message from a time instant it is transmitted from an up-link adapter until a time instant it is received by a down-link adapter through a digital direct broadcast satellite is evaluated (Lazaris-Brunner, col 7 lines 1-67).

Consider claim 25, (Original) Lazaris-Brunner discloses A method according to claim 13 wherein a computation center (3) broadcasts through a digital direct broadcast satellite, to said monitoring stations (4) by means of an up-link adapter (5) incorporated therein and a monitoring station (4) having a down-link adapter (7) detects a channel specifically addressed thereto, providing data to said monitoring station, said data being usable for implementing a unicast, multicast or broadcast addressing scheme (*Lazaris-Brunner*, col 6 lines 33-67, col 7 lines s 1-67, source stations, digital broadcasting satellite communicate and broadcasts programs to receiving stations via different channels).

Application/Control Number: 10/510,685 Page 8

Art Unit: 2617

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner

should be directed to HUY C. HO whose telephone number is (571)270-1108. The examiner can

normally be reached on Monday - Friday, 8:00 a.m. - 5:00 p.m., EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor,

Patrick Edouard can be reached on 571-272-7603. The fax phone number for the organization where

this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application

Information Retrieval (PAIR) system. Status information for published applications may be obtained

from either Private PAIR or Public PAIR. Status information for unpublished applications is available

through Private PAIR only. For more information about the PAIR system, see http://pair-

direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the

Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO

Customer Service Representative or access to the automated information system, call 800-786-9199 (IN

USA OR CANADA) or 571-272-1000.

/Huy C Ho/

Examiner, Art Unit 2617

/Patrick N. Edouard/

Supervisory Patent Examiner, Art Unit 2617